

ALUMATE SCREENING SYSTEM

ALUMATE architectural screening system, enhances the look and feel of outdoor façade, soffit and internal wall & ceiling linings. ALUMATE is Ideal for new buildings or renovations and is suitable for both residential and commercial applications where a low maintenance, highly durable, noncombustible realistic wood grain finish is required.

ALUMATE screening comes in a varying batten widths and offers concealed straight forward fixing methods making it a highly flexible for any design specification and application. ALUMATE screening can be orientated either vertically or horizontally with either a single or mixture of profile sizes in order to deliver a unique clean finish with any desired arrangement.



ALUMATE: THE NATURAL WARMTH, APPEAL, BEAUTY AND RICHNESS OF WOOD GRAIN FINISHES FOR ARCHITECTURAL SCREENING

ADVANTAGES

- Non-Combustible
- Low maintenance
- Durable
- Easy installation with Concealed Lock In fixing method
- Come with the rear clip to lock the batten on to
- Profile Coverage: 50mm
- Profile Depths: 50mm, 100mm and 150mm
- Wide range of realistic wood grain finishes, coated on all faces
- Vertical or horizontal installation options
- Mix and match the profiles to create a unique installation



ALUMATE SCREENING LOCK IN INSTALLATION

ALUMATE Screening features a lock in installation that utilises a rear clip fixing that allows for quick clean installations achieving concealed fixings while providing a conventional timber batten appearance with a durable finish.

Freedom in orientation will result in completely unique design by simply varying either the spaces between the battens or mixing up the three profiles.

With screw flutes designed right into the profile these will allow end caps to be mechanically fixed without the fear of them ever falling off.



WOOD GRAIN COLOURS & FINISHES



* ALSO AVAILABLE IN STANDARD POWDERCOAT OR ANODISED FINISHES.

** PLEASE BEAR IN MIND THAT COLOURS MAY APPEAR SLIGHTLY DIFFERENT ON DELIVERY DUE TO DIFFERENT PRINTER OR MONITOR SETTING.



Phone (australia) : 1300 654 795 Email : enquiry@innoarc.com.au Office : 126 O'Connell Street, North Parramatta,NSW 2151 Website : www.innoarc.com.au